

Classified for
 "RESTRICTED USE"
 in New York State
 under 6NYCRR Part 326

Trelona®

ACCEPTED
 FOR REGISTRATION
 March 23, 2018

New York State Department
 of Environmental Conservation
 Division of Materials Management
 Pesticide Product Registration

Compressed Termite Bait

- For use by individuals/firms licensed or registered by the state to apply termiticide products. States may have more restrictive requirements regarding qualifications of persons using this product. Consult the structural pest control regulatory agency of your state prior to use of this product with questions you may have.
- A termite bait that may be used in an integrated management program for the protection of structures against subterranean termites.

ACTIVE INGREDIENT:

Novaluron: 1-[3-chloro-4-(1,1,2-trifluoro-2-trifluoro-methoxyethoxy)phenyl]-3-(2,6-difluorobenzoyl) urea 0.50%

OTHER INGREDIENTS: 99.50%

TOTAL: 100.00%

Contains 0.5 grams of novaluron per 100 grams of formulation
 U.S. Patent No. 8,720,108

EPA Reg. No. 499-557

EPA Est. No. 7969-MO-002

KEEP OUT OF REACH OF CHILDREN CAUTION/PRECAUCION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

Refer to full label for **First Aid, Precautionary Statements, directions For Use, Conditions of Sale and Warranty**, and state-specific use site restrictions.

In case of an emergency endangering life or property involving this product, call day or night 1-800-832-HELP (4357).

FIRST AID	
If in eyes	<ul style="list-style-type: none"> • Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. • Call a poison control center or doctor for treatment advice.
HOTLINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor or going for treatment. For additional information on this pesticide product, including health concerns, medical emergencies, or pesticide incidents, you may call 1-800-832-HELP (4357), 24 hours per day, 7 days per week.	



81069293 NVA 2017-05-466-0437

NET WEIGHT: 4.37 ounces (124 grams)

BASF Corporation
 26 Davis Drive
 Research Triangle Park, NC 27709
 Product of U.S.A.



Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Environmental Hazards

The active ingredient in this product is extremely toxic to aquatic invertebrates. **DO NOT** place in any area where, because of the movement of water, it could be washed into a body of water containing aquatic life, such as ponds or streams.

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Read the **Use Directions** carefully before using this product. This product is part of a termite baiting system and is intended for use in BASF approved bait stations which may be purchased from most professional pest control product distributors. Use of this bait in any other type of station or system not approved by BASF is prohibited. Call 1-800-777-8570 for assistance in using this product or any other components of the termite baiting system.

When inspected and replenished per label **Use Directions**, this product provides on-going structural protection through colony elimination; however, conditions or circumstances beyond the control of the user (competing insects, flooding events, cold weather, presence of alternative food sources, etc.) may alter the time needed to achieve structural protection.

STORAGE AND DISPOSAL

DO NOT contaminate water, food or feed by storage or disposal.

Pesticide Storage

Store in a cool, dry (preferably locked) area, in a place that is inaccessible to children and animals.

Pesticide Disposal

Product not disposed of by use according to label directions should be wrapped in paper and placed in a trash can. If these wastes cannot be disposed of according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Handling

Nonrefillable container. DO NOT reuse or refill this container. Offer for recycling if available. If recycling is not available, place container in trash.

In Case of Emergency

In case of large-scale spill of this product, call:

- CHEMTREC 1-800-424-9300
- BASF Corporation 1-800-832-HELP (4357)

In case of medical emergency regarding this product, call:

- Your local doctor for immediate treatment
- Your local poison control center (hospital)
- BASF Corporation 1-800-832-HELP (4357)

Station Installation

Install stations around a structure such that, except where sufficient access to the ground is not available, the maximum interval between any two stations does not exceed 20 feet. If the distance between 2 points of accessible ground around the structure exceeds 30 feet, it may be advisable to form 1 or more openings in the inaccessible surface to facilitate baiting between the accessible areas.

To install a station, excavate a hole in the ground approximately the same size and dimensions as those of the station. Insert the station and maximize contact between the exterior of the station and the soil. This will increase the probability of termite entrance into the station. If the station is inserted into an opening created through a hardened construction surface (such as concrete, asphalt, etc.), insert station below the surface (in contact with the ground) and seal securely.

Install stations within approximately 5 feet of points of known, probable, or suspected termite foraging activity and in other areas that provide conditions conducive to termite activity. Such areas may include concentrations of cellulose-containing debris in contact with the ground, such as mulch, wood scraps, areas of moderate soil moisture, shaded areas, areas containing plant root systems, bath traps, visible termite foraging tubes, or other evidence of termite activity or conducive conditions. Relocate or modify the station location to prevent water from collecting in the station by, for example, creating a sump area under the installed station or at the bottom of the cavity. If termites have permanently abandoned the station due to excessive moisture, remove the saturated bait and re-bait the station with fresh bait at that time or after the excess moisture condition has abated.

If the structure has an accessible crawl space, stations can be installed in the crawl space in lieu of or in addition to installing stations around the structure; however, either the interior or the exterior of the crawl space must contain a complete set of stations, as defined by this label. Stations can be installed within a slab structure in existing or created openings in the slab surface through which ground is accessible and into which the station can be installed in a secure manner.

Once termite activity has occurred at a station and bait consumption has begun, it may be advisable, depending on the rate of bait consumption in that station and nearby stations, to install 1 or more supplemental stations in the immediate vicinity (up to 5 feet) of the infested station(s) in order that bait consumption by the colony be maximized.

Use Directions

Pre-construction Use

In Florida, DO NOT use as a stand-alone preventative treatment for new construction. This product can be used for preventative treatment (before signs of infestation) of new structures (as a substitute for, and in lieu of, pre-construction soil treatment). Place stations around the outside of the structure only after the final exterior grade is established (and preferably after landscaping is completed).

Post-construction Use

This product can be used for remedial treatment of infested existing structures or for preventative treatment (before signs of infestation) of existing structures.

Pre-baiting

Pre-baiting is a process by which termite activity is established at a location prior to the application of bait at that location. Use BASF approved pre-bait to establish activity in the station. Inspect pre-baited stations every 120 days. Inspections cannot take place more than 30 days beyond the required interval unless cold temperatures persist (average daily mean

exterior air temperature below 50°F). Termite feeding activity is typically reduced under low temperature conditions making it difficult to accurately assess termite activity. The operator should always make allowances for local circumstances when considering increasing elapsed time between inspections. If there is termite activity in a pre-baited station, make bait continuously available for colony consumption by removing the pre-bait and placing this product in the station. Refer to **Table 1. Baiting Inspection Intervals** for details.

Direct Baiting

This product can be placed in stations at any time prior to termite activity (direct baiting), with or without the presence of termites. Refer to **Table 1. Baiting Inspection Intervals** for details.

Table 1. Baiting Inspection Intervals

Inspection Interval	Cartridges Required
120 Days*	One 124 gram cartridge
Annual	Every bait station must contain: Two 124 gram cartridges
<p>Inspection intervals must comply with state regulations where applicable.</p> <p>Shorter inspection intervals may be warranted if termite activity indicates complete consumption of the bait in a station before the scheduled inspection.</p> <p>Inspections cannot take place more than 30 days beyond the required interval unless cold temperatures persist (average daily mean exterior air temperature below 50°F). Termite feeding activity is typically reduced under low temperature conditions making it difficult to accurately assess termite activity. The operator should always make allowances for local circumstances when considering increasing elapsed time between inspections.</p> <ul style="list-style-type: none"> • DO NOT allow more than 6 months to pass between inspections for the 120 day inspection interval. • DO NOT allow more than 15 months to pass between inspections for the annual inspection interval. <p>* After feeding has stopped, and there has been no activity for one year, inspect the stations every 6 months.</p>	

Inspecting Stations and Replacing Bait

To inspect a station, remove the cover and visually examine the cartridges for the presence of termites, being careful to minimize disturbance in the case that termites are present. If it appears that >1/3 of a bait cartridge in the station has been consumed, replace that cartridge with a new cartridge. If termites are not present, inspect bait for excessive decay. Replace excessively decayed bait and securely close the station cover.

Transitioning from 120 Day to Annual Inspection Interval in Baited Stations

Alternatively, baited stations on a 120 day inspection interval may be switched to an annual inspection interval if all contents are removed from the stations and replaced with two **Trelona® Compressed Termite Bait** cartridges. All stations around the structure must contain two **Trelona Compressed Termite Bait** cartridges or the inspection period cannot exceed 120 days. Inspection of bait treatments made with this product must be done according to the inspection intervals listed in **Table 1. Baiting Inspection Intervals**.

Non-structure Spot Treatment

This product can also be applied or used as a spot treatment in areas not associated with structures or buildings, such as around trees, wood piles, landscaping elements, railroad track beds, at the edge of property lines and other areas where termite activity is known or suspected. Such treatments may be made alone or in combination with an additional method of termiticide treatment. To provide a non-structure spot treatment, install one or more bait station(s) in the soil at or near points of known or suspected termite activity. Non-structure spot treatment baiting may be discontinued at any time at the discretion of the applicator. Inspection of bait treatments made with this product must be done according to the inspection intervals listed in **Table 1. Baiting Inspection Intervals**.

Supplemental Treatments

If a soil-applied liquid or granular termiticide treatment is performed in conjunction with installation of the bait system, **DO NOT** treat the area where stations are installed (preferably not within 2 feet of stations). Because the use of bait may be a multi-step process, localized treatment using soil applied termiticide to the structure infested with active termites at the time of baiting may provide more immediate control of termites in those parts of the structure. Preventative spot treatments to critical areas of soil or wood may be performed in conjunction with station installation. **DO NOT** treat directly on top of installed stations with a repellent insecticide during routine general pest or perimeter applications.

This product can be applied or used as a supplemental treatment in, underneath, and around structures or buildings to kill termites in support of or as a supplement to a termiticide product labeled for and applied as a standalone termiticide treatment. This includes pre- and post-construction soil termiticide treatments labeled for providing structural protection. This product may also be used in combination with an additional termiticide treatment as a supplemental treatment in areas not associated with structures or buildings, such as around trees, wood piles, landscaping elements, railroad track beds, and other areas where termite activity is known or suspected. Inspection of bait treatments made with this product must be done according to the inspection intervals listed in **Table 1. Baiting Inspection Intervals**.

Conditions of Sale and Warranty

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as environmental conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF CORPORATION ("BASF") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer. BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above. **TO THE EXTENT CONSISTENT WITH APPLICABLE LAW: (A) BASF MAKES NO OTHER WARRANTIES EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY, (B) BUYER'S EXCLUSIVE REMEDY AND BASF'S AND SELLER'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT, AND (C) BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, INCIDENTAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.** BASF and the Seller offer this product, and the Buyer and User accept it, subject to these **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF. PCS915

Trelona is a registered trademark of BASF.

© 2017 BASF Corporation
All rights reserved.

000499-00557.20170814. **NVA 2017-04-466-0142**

Based on: NVA 2016-04-466-0186

Supersedes: NVA 2016-04-466-0148

BASF Corporation
26 Davis Drive
Research Triangle Park, NC 27709



We create chemistry

Trelona®

Compressed Termite Bait

NOT FOR INDIVIDUAL RESALE.

- Termite Bait Cartridge (TBC)
- For use by individuals/firms licensed or registered by the state to apply termiticide products. States may have more restrictive requirements regarding qualifications of persons using this product. Consult the structural pest control regulatory agency of your state prior to use of this product with questions you may have.
- A termite bait that may be used in an integrated management program for the protection of structures against subterranean termites.

ACTIVE INGREDIENT: Novaluron: 1-[3-chloro-4-(1,1,2-trifluoro-2-trifluoro-methoxyethoxy)phenyl]-3-(2,6-difluorobenzoyl) urea. . . . 0.50%

OTHER INGREDIENTS: 99.50%

TOTAL: 100.00%

Contains 0.5 grams of novaluron per 100 grams of formulation

U.S. Patent No. 8,720,108

Product of U.S.A.

EPA Reg. No. 499-557

EPA Est. No. 7969-MO-002

KEEP OUT OF REACH OF CHILDREN

CAUTION/PRECAUCION

Refer to full label for **First Aid, Precautionary Statements, Directions For Use, Conditions of Sale and Warranty**, and state-specific use site restrictions.

NET WEIGHT: 4.37 ounces (124 g)

FPO Indiv Barcode Here

BASF Corporation
26 Davis Drive, Research Triangle Park, NC 27709

81069292
NVA 2017-05-466-0438

BASF
We create chemistry